

CLAIMS

What is claimed is:

- 5 1. A post system for a railing, the post system comprising:
- a railing post having first and second ends; and
- a post base connectable to said first end of said railing post, said
- 10 post base comprising an inner member and an outer member substantially encasing said inner member, said inner member comprising a first material and said outer member comprising a second material.
- 15 2. The post system of claim 1 wherein said first material is steel.
3. The post system of claim 1 wherein said second material is aluminum.
4. The post system of claim 1 further comprising fasteners for connecting said
- 20 post base to said railing post.
5. The post system of claim 4 wherein said fasteners comprise a dimension of Ø8x80 mm.
- 25 6. A post system for a railing, the post system comprising:
- a railing post comprising an elongated tubular body and first and second ends; and
- 30 an insert snugly insertable within said first end of said railing post.

7. The post system of claim 6 further comprising a post base connectable to said first end of said railing post.

5 8. The post system of claim 6 wherein said insert further comprises an engagement member.

9. The post system of claim 6 further comprising fasteners for connecting said post base to said railing post.

10

10. The post system of claim 9 wherein said fasteners comprise a dimension of Ø8x80 mm.

11. A post system for a railing, the post system comprising:

15

a railing post having first and second ends; and

a post base connectable to said first end of said railing post, said post base comprising:

20

a base member; and

a housing member connected to and extending from said base member, said housing member adapted to engage said railing post.

25

12. A post system for a railing, the post system comprising:

a railing post comprising an elongated tubular body and first and second ends;

30

an insert snugly insertable within said first end of said railing post;
and

5 a post base having an inner member and an outer member
substantially encasing said inner member, said inner member
comprising a first material and said outer member comprising a
second material, said post base connectable to said first end of said
railing post, said post base comprising

10 a base member;

a housing member connected to and extending from said
base member, said housing member adapted to engage said
railing post.

15

13. The post system of claim 12 wherein said insert further comprises an
engagement member.

14. The post system of claim 12 wherein said first material is steel.

20

15. The post system of claim 12 wherein said second material is aluminum.

16. The post system of claim 12 further comprising fasteners for connecting
said post base to said railing post.

25

17. The post system of claim 16 wherein said fasteners comprise a dimension
of Ø8x80 mm.

AMENDED CLAIMS

received by the International Bureau on 17 September 2005 (17.09.2005): original claims 1-12 have been replaced by amended claims 1-12.

What is claimed is:

- 5 1. A post system for a railing, the post system comprising:
- a railing post having first and second ends; and
- a post base connectable to said first end of said railing post, said post
- 10 base comprising an inner member and an outer member, said inner member being substantially embedded within said outer member, said inner member comprising a first material and said outer member comprising a second material.
- 15 2. The post system of claim 1 wherein said first material is steel.
3. The post system of claim 1 wherein said second material is aluminum.
4. The post system of claim 1 further comprising fasteners for connecting said post
- 20 base to said railing post.
5. The post system of claim 4 wherein said fasteners comprise a dimension of Ø8x80 mm.
- 25 6. A post system for a railing, the post system comprising:
- a railing post comprising an elongated tubular body and first and second ends; and
- 30 an insert snugly insertable within said first end of said railing post.
7. The post system of claim 6 further comprising a post base connectable to said first end of said railing post.

8. The post system of claim 6 wherein said insert further comprises an engagement member.
- 5 9. The post system of claim 6 further comprising fasteners for connecting said post base to said railing post.
10. The post system of claim 9 wherein said fasteners comprise a dimension of Ø8x80 mm.
- 10 11. A post system for a railing, the post system comprising:
- a railing post having first and second ends; and
- a post base connectable to said first end of said railing post, said post
- 15 base comprising:
- a base member; and
- a housing member connected to and extending from said base
- 20 member, said housing member adapted to engage said railing post.
12. A post system for a railing, the post system comprising:
- 25 a railing post comprising an elongated tubular body and first and second ends;
- an insert snugly insertable within said first end of said railing post;
- 30 a post base connectable to said first end of said railing post, said post base comprising a base member and a housing member connected to and extending from said base member, said housing member adapted to snugly engage said railing post; and

wherein said base member comprises an inner member and an outer member, said inner member being substantially embedded within said outer member, said inner member comprising a first material and said outer member comprising a second material.

5

13. The post system of claim 12 wherein said insert further comprises an engagement member.

14. The post system of claim 12 wherein said first material is steel.

10

15. The post system of claim 12 wherein said second material is aluminum.

16. The post system of claim 12 further comprising fasteners for connecting said post base to said railing post.

15

17. The post system of claim 16 wherein said fasteners comprise a dimension of Ø8x80 mm.